



4.85m FLY FISHER

GENERAL ARRANGEMENT

PRINCIPAL PARTICULARS

LOA: 4.85 m (Hull Only)
 BEAM: 2.0 m
 DEPTH: 1.0 m
 DRAFT: 0.26m (HULL)
 D/RISE: 14° @ TRAN.
 DISPL: 450kg DRY -w- 50HP
 HULL TO BE FOAM FILLED

Note: Layout can be customised by owner
 Owner Advised to provide sun protection



ACTUAL KIT MIGHT DIFFER FROM PICTURES SHOWN

AUSTRALIAN BUILDERS PLATE

BUILDER - YOUR NAME

HIN AU - "SEE REGISTRATION"

Max \uparrow = 90 hp

Max \uparrow = 140 kg

Max \uparrow 4 = 360 kg

Max \uparrow + \uparrow = 435 kg

Buoyancy **BASIC** Flotation

! Alteration of the boat's hull or permanent fittings may invalidate the A REDUCED MAXIMUM NUMBER OF PERSONS THIS PLATE. MUST BE MADE IN ADVERSE WEATHER CONDITIONS OR WHEN ON THE OPEN SEA.

- Design in compliance with AS1799-1 2009
- Structure in accordance with ISO 12215
- Material: - All plating 4mm 5083 aluminium.
- 12mm Plywood decks.
- Builders plate, Jig, Drawings & Photo CD included with kit.
- Bollards, Inspection port & Drain plug included in the kit.
- 5 days per week helpdesk available
- Customization available.
- Flotation foam & most fit out parts available, check catalogue for pricing.
- HIN number engraved in kit & registered.

www.platealloy.com



4.85m FLY FISHER



www.platealloy.com

ACTUAL KIT MIGHT DIFFER FROM PICTURES SHOWN




PLATE ALLOY