



SEALIFE DESIGNS SLD 1135

PRINCIPAL PARTICULARS

Length LOA	: 11.00 m
Length LM	: 10.56 m
Beam, B	: 3.50 m
Depth, D	: 1.80 m
Draft, T	: 0.46 m
Engine	: 2 x Yamaha FL225AETX
Rating	: 225hp @ 5500 rpm
Freshwater 1	: 50 Litres
Sullage	: —
Fuel (PORT)	: 600 Litres
Fuel (STBD)	: 600 Litres
Displacement, ΔLS	: 2.60 tonne
Draft, TLS	: 0.30 m
Displacement, ΔDWL	: 5.95 tonne
Draft, TDWL	: 0.46 m
Displacement, ΔMAX	: 7.70 tonne
Draft, TMAX	: 0.55 m
Speed, VCRUISING	: 25 knots
Speed, VMAX	: 30 knots




1 VIEW : PROFILE



2 VIEW : PLAN

- DESIGN IN COMPLIANCE WITH USL CODE 2008
- MATERIAL
 - BOTTOM, CHINE, TRANSOM, 6mm 5083 ALUMINIUM
 - SIDES, DECK, GUNWALE, 4mm 5083 ALUMINIUM
 - WHEEL HOUSE AND COACH ROOF, 3mm 5083 ALUMINIUM



Kit supply and cutting by Plate Alloy Australia P/L.
 Design copyright (c) Naval Architects Australia
www.platealloy.com



www.sealifedesigns.com



www.naaust.com.au

ACTUAL KIT MAY DIFFER FROM PICTURES SHOWN

THIS DESIGN INCLUDING SPECIFICATIONS, DRAWINGS & ITS CONTENTS ARE THE EXCLUSIVE PROPERTY OF SEALIFE DESIGNS/NAVAL ARCHITECTS AUSTRALIA & IS FURNISHED ON A CONFIDENTIAL BASIS, WITH THE EXPRESSED AGREEMENT THAT IT WILL NOT BE SOLD, TRANSFERRED, COPIED, TRACED, PHOTOGRAPHED OR REPRODUCED IN ANY MANNER WHATSOEVER IN WHOLE OR PART, WITHOUT THE WRITTEN CONSENT OF SEALIFE DESIGNS/NAVAL ARCHITECTS AUSTRALIA. THE RECIPIENT AGREES NOT TO DISCLOSE TO ANY OTHER PARTY INFORMATION HEREIN, NOR TO USE SUCH INFORMATION EXCEPT FOR THE PURPOSES CONTRACTED FOR.